



# Nickel MSC™

*for peanuts & other legumes*

## General Information

Nickel MSC is designed for use as a foliar spray on peanuts and other crops where the addition of nickel, copper, and manganese would be beneficial.

Nickel MSC can be tanked mixed with other nutrient and pest control products. Nickel MSC is not recommended for soil application.

Nickel MSC will disperse in water with little agitation. Many pesticides can be added and applied while spraying Strong-Peg Nickel. Follow this mixing sequence:

1. Water
2. Nickel MSC
3. Pesticide

### Storage Instructions

Store in cool, dry place. May be stored in unheated facility. Undiluted Nickel MSC can be corrosive to tanks, pumps, meters and fittings. Absorbing on clay or other suitable absorbent can clean up spills from broken containers.

**Warranty Statement:** NIPAN LLC warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated on the label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Neither this warranty nor any other warranty of merchantability of fitness of a particular product expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions not reasonably foreseeable to the seller, and the buyer assumes the risk of any such use.

Information about the components of this product may be obtained by writing to the manufacturer.

### Guaranteed Analysis

Sulfur (S).....	4.2%
Copper (Cu).....	1.5%
Manganese (Mn).....	3.5%
Nickel (Ni) .....	2.5%
Derived from copper sulfate, nickel sulfate, manganese sulfate and citric acid.	

### **KEEP OUT OF REACH OF CHILDREN CAUTION**

Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. May cause irritation of nose, throat and/or skin. Wear goggles and gloves when handling. In case of contact, immediately flush skin or eyes with water for several minutes.

Manufactured in the USA by:  
NIPAN L.L.C.  
P.O. Box 5611, 2867 Carroll Ulmer Rd.  
Valdosta, GA 31603-5611.  
™ Nickel MSC is a trademark of NIPAN LLC.

## Directions For Use

### **Peanuts:**

To increase root mass, nodulation, disease resistance to rust, and yield. Improved nickel nutrition of peanuts grown for seed can improve seed germination of saved seed.

Rate and timing: Ground application: Apply 8 - 16 oz per acre 50 days after planting. Repeat 14 to 21 days later for remainder of the season.

The addition of a non-ionic surfactant at the labeled rate is recommended to improve spray coverage.

### **Other crops:**

Nickel MSC can be used in a balanced fertility program where supplemental micronutrient nutrition may improve growth, quality, disease resistance and yield. Improved nickel nutrition has been shown to increase disease resistance to rust.

### **Soybeans:**

To increase root mass, nodulation and disease resistance to rust. Improved nickel nutrition of soybeans grown for seed can improve seed germination of saved seed.

Rate and timing: Ground application: Apply 8-16 oz in 15-20 gallons water per acre when soybeans are in R1 stage and again 14 to 21 days later.

**Net Contents: 2.5 Gallons / 13.2 Liters  
Weight: 10.65 pounds/gallon**